

Alaska

MOTOR YACHTS



ALASKA 44 SEDAN

KEY FEATURES

Main Engines

Twin Cummins QSB 440hp

Length Overall

14.30m

Beam

4.25m

Draft

1.07m

Displacement

22,000kg

Fuel Tank

2,250L

Water Tank

756L

TIMELESS STYLE, COMPACT CAPABILITY

Expertly crafted to meet the needs of discerning coastal cruisers, the Alaska 44 Sedan delivers the hallmark quality and design the brand is known for in a more compact and manageable package. Measuring 14.30 metres overall with a 4.25-metre beam, the 44 Sedan offers outstanding efficiency, performance, and comfort for extended coastal cruising.

Built to exacting Australian standards, it features a hand-laid fibreglass hull, vacuum-bagged bulkheads, and a robust construction that adheres to global safety benchmarks. With a 2,000-litre fuel capacity and 756-litre water tank, the 44 is engineered for long-range autonomy.

On deck, wide teak-laid side decks and a well-appointed cockpit with alfresco dining, wet bar, fridge, and BBQ provide a seamless indoor-outdoor lifestyle. The signature single-level layout ensures effortless flow between the saloon and aft deck—ideal for entertaining or relaxed cruising.

Inside, beautiful finishes, leather lounges, and panoramic windows create a bright, elegant interior. The fully equipped galley features Corian counters, Isotherm refrigeration, cooktop, and ample storage, catering to day trips and extended voyages alike.

Accommodation includes a midships master with queen island bed and ensuite and a forward VIP cabin with island berth. Premium finishes, LED lighting, and smart storage solutions feature throughout.

At the helm, twin Raymarine Axiom 19" displays, radar, AIS, autopilot, and bow and stern thrusters offer modern navigation confidence. Optional gyroscopic stabilisation ensures smooth cruising in varied conditions.

The Alaska 44 Sedan is the perfect blend of luxury, practicality, and coastal cruising pedigree in a sub-45ft package.

ALASKA 44

SEDAN

SPECIFICATION

CONSTRUCTION

- Hull: Hand-laminated fiberglass, meets or exceeds A.B.S. specifications
- Deck: Hand-laminated sandwich construction with teak overlay
- Bulkheads & Cabin Floors: Vacuum-bagged Divinycell PVC with fiberglass bonding
- Deck to Hull Joint: Sealed and through-bolted with Sika compounds and glassed over
- Raised deck and roof, antifouling, non-skid deck, added steps for increased accommodation space

DECK EQUIPMENT

- S/S Plow Anchor (27kg) with 80m of 13mm L-braid chain
- FRP anchor platform and pulpit
- S/S handrails and stanchions
- S/S cleats at bow (x2), midship (x4), and stern (x2)
- Hatch on forward cabin (x1)
- Chain locker and rope locker hatch
- Deck water & fuel fillers
- S/S engine room vents and access hatch
- Aft deck teak
- Bench FRP settee
- Swim platform with S/S handrails
- Transom shower
- Deck wash downs (fwd & aft)
- Aft waterproof speakers (x4)
- Icemaker
- Refrigerator
- Muir VRC2200 24v Electric windlass
- Acrylic side doors
- LED lighting

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

SALOON

- Teak and holly floor
- S/S main entrance door
- Hopper windows
- U-settee
- Hi-Lo Teak table
- Single sofa
- TV lifter
- Stereo system
- Fixed windows
- Blinds
- LED lights
- Overhead handrails
- Fixed glass skylight
- AC outlets with USB

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

ALASKA 44

SEDAN

SPECIFICATION

GALLEY

- Corian countertops
- S/S sink
- BLUM drawers
- Two-burner cooktop and appliances
- LED lights
- Vinyl ceiling
- Overhead cabinets
- Isotherm CR90 freezer
- Isotherm CR130 fridge
- Kitchen ventilator
- Upgraded high-gloss interior

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

HELM STATION

- Twin helm chairs
- Wood and S/S steering wheel
- S/S sliding door
- Engine controls
- Side-Power bow & stern thruster controls
- Hydraulic steering (Capalano)
- Rudder angle indicator (VDO)
- Compass
- Raymarine Tridata
- Exalto Wipers with washers
- Anchor winch disconnect
- Victron tank & battery monitoring
- Trim tab control
- LED lights
- Aircon outlets

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

MASTER STATEROOM

- Queen-size bed
- Bedside tables
- Cabinets
- Opening hatches with mosquito screens
- Portholes with screens
- Reading lights
- LED lights
- Vinyl ceiling
- Teak and holly floor
- Under bed storage on gas struts
- LED TV
- Access to ensuite
- Under bed courtesy LEDs

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

ALASKA 44

SEDAN

SPECIFICATION

VIP STATEROOM

- Queen bed with storage
- Full-height cabinet
- Hanging lockers
- Hatch and porthole with screens
- Oceanair Skyscreens
- Reading and overhead lights

GUEST STATEROOM

- Twin single beds with storage
- Fixed window
- Reading lights
- Bedside table

HEAD & SHOWER

- Electric Tecma toilet
- Mirror
- Porthole with screen
- Vanity with Corian countertop and wash basin
- Teak shower grating
- Glass shower door
- Exhaust fan
- 12V waterproof light

MECHANICAL

- Underwater exhaust system
- Engine alarms
- Sea cocks with strainers
- Dripless packing gland
- Aqua 22 shaft
- S/S V-struts and rudders
- Emergency tiller
- Fuel/water filters
- Engine room insulation
- Emergency bilge pump
- EVA faux teak flooring
- Fuel tank capacity 2250L
- Water maker pre-install
- Steering ram BA 200-7TM

ELECTRICAL SYSTEM

- 7.5kW Onan Generator with sound shield
- Air-conditioning throughout
- Disconnect switches

STD	
STD	
STD	
STD	
STD	
STD	

STD	
STD	
STD	
STD	

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

STD	
STD	
STD	

ALASKA 44

SEDAN

SPECIFICATION

ELECTRICAL SYSTEM CONT.

- Trim tabs
- Side-Power bow & stern thrusters SE120
- Inverter/charger combo
- Battery sensors and switches
- LED interior and engine room lighting (HELLA x10)
- Navigation and anchor lights
- Horn
- Shore power inlet
- Searchlight
- DNV cable
- VIMAR switches
- 32" x 2 Smart TVs
- 4x200A AGM house/thrusters
- 2x200A AGM engine
- 1x120A AGM generator
- 1x150A AGM windlass, Copper bonding system

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

WATER SYSTEM

- S/S water tank, pressure pump
- Seawater washdown (bow/stern)
- Freshwater washdown (bow/stern)
- 70L water heater
- Shower sump pump
- Whale shower sump pump

STD	
STD	
STD	
STD	
STD	
STD	

AFT DECK

- L-Shaped seating
- Single access layout
- S/S railing with Southern Stainless Bait Board + BBQ
- 4x Rod holders
- Freezer or Fridge
- Lazerette access hatch

STD	
STD	
STD	
STD	
STD	
STD	

OPTIONAL ITEMS

- Quick MC12 Gyroscopic stabilisation
- 600kg ADC hydraulic swim platform
- 350kg ADC hydraulic roof-mounted davit
- Upgraded AGM house batteries (6 x N200)
- Stella 130lph Manual or Automatic Watermaker
- Watermaker control panel (for Automatic Watermaker)
- Custom hull paint
- Tender and outboard
- Tender tie down solution

ALASKA 44

SEDAN

SPECIFICATION

OPTIONAL ITEMS CONT

- Solar Panels and Victron Solar Monitoring
- Breezeway Curtains
- Window Covers
- Aqualuma underwater lights
- Second side control station
- Dockmate Twist Controller
- Additional Custom Gineico aft deck table chairs

Specification current as of June 2025

The information, specifications, and details provided in this document are for reference purposes only. All features, dimensions, performance figures, and other aspects of the product are subject to change without prior notice. The manufacturer or provider reserves the right to make modifications or improvements to the product at any time, without obligation to update any prior materials or information. Please consult with your representative or visit our official website for the most current details.